

Cryogenics

Index to Volume 39 (1999)

No. 1 (January) pp 1-98	No. 5 (May) pp 417-494	No. 9 (September) pp 723-802
No. 2 (February) pp 99-186	No. 6 (June) pp 495-568	No. 10 (October) pp 803-892
No. 3 (March) pp 187-282	No. 7 (July) pp 569-652	No. 11 (November) pp 893-968
No. 4 (April) pp 283-416	No. 8 (August) pp 653-722	No. 12 (December) pp 969-1058

Article Index (titles in italics refer to Research and technical notes)

Number 1/January

- Core-suppressed AC loss and strand-moderated contact resistance in a Nb₃Sn Rutherford cable
M.D. Sumption, E.W. Collings, R.M. Scanlan, A. Nijhuis and H.H.J. ten Kate 1
- Optimization of pulse tubes
A.T.A.M. de Waele 13
- Superconducting resin banded coil: a modified convection coefficient
J. Leveque and A. Rezzoug 17
- Experimental verification of 'supercurrents' in superconducting cables exposed to AC-fields
L. Krempasky and C. Schmidt 23
- Entropy generation minimization on CIC (Cable-In-Conduit) superconductor design
S. Jeong 35
- Performance of a counterflow heat exchanger with heat loss through the wall at the cold end
S. Pradeep Narayanan and G. Venkatarathnam 43
- Superconducting magnetic energy storage device operating at liquid nitrogen temperatures
A. Friedman, N. Shaked, E. Perel, M. Sinvani, Y. Wolfus and Y. Yeshurun 53
- Characteristics of horizontal two-phase helium flows: Part I—flow patterns and void fraction
Yu.P. Filippov 59
- Characteristics of horizontal two-phase helium flows: Part II:

- pressure drop and transient heat transfer
Yu.P. Filippov 69
- Non destructive quench of bulk YBaCuO in liquid argon
P. Tixador, L. Porcar, D. Bourgault, X. Chaud and R. Tournier 77
- Analysis of mass and energy flow rates in an orifice pulse-tube refrigerator
F. Kuriyama and R. Radebaugh 85
- Thermal conductivity of Kapton tape
D.J. Benford, T. Powers and S.H. Moseley 93

Number 2/February

- Analytical formulae of coupling loss and hysteresis loss in HTS tape
N. Banno and N. Amemiya 99
- Effects of silver additions on the mechanical properties and resistance to thermal shock of YBa₂Cu₃O_{7-δ} superconductors
J. Joo, S.-B. Jung, W. Nah, J.-Y. Kim and T.S. Kim 107
- Development of Nb₃Al superconductors for International Thermonuclear Experimental Reactor (ITER)
Y. Yamada, N. Ayai, A. Mikumo, M. Ito, K. Hayashi, K. Takahashi, K. Sato, N. Koizumi, T. Ando, K. Matsui, M. Sugimoto, H. Tsuji and K. Okuno 115
- Infrared astronomy with the ISO satellite
D. Lemke 125

- ISO after completing its successful mission
A. Seidel 135
- High precision cryogenic optics realized with ISOPHOT filter wheels
W. Bollinger 149
- The FIRST-PLM based on a Hell-cryostat
J. Schupp, B. Mossbacher and A. Seidel 153
- The FIRST and Plack 'Carrier' missions. Description of the cryogenic systems
B. Collaudin and T. Passvogel 157
- Cryogenic testing of several parts of the meteorosat second generation payload
P. Jamotton, A. Cucchiaro, D. Demaret and H. Balbeur 167
- Cryogenic interface failures and solutions in the medium wave infrared imager (MWIR)
P. Brooks and H. Jolly 175
- A mechanical cooler for the spectrometer experiment on board the integral spacecraft
R.M. Wilkinson, R. Briet, C. Ashman, G. Sarri, B.G. Jones and C.I. Jewell 179

Number 3/March

- A long duration suitable for balloon borne photometry
S. Masi, P. Cardoni, P. de Bernardis, F. Piacentini, A. Raccanelli and F. Scaramuzzi 217
- Calorimeter for measuring AC losses in HTS cables for

Index

- superconducting power transmission lines
D.E. Daney, H.J. Boenig, M.P. Maley and S. Fleshler 225
- Modelling and cooling behaviour of Peltier cascades
T. Metzger and R.P. Huebener 235
- Theoretical sensitivity limits of the compensation method for magnetization characteristics measurement of HT_c superconducting materials using LT_c SQUID 2nd order gradiometer
V. Zrubec 241
- The miniature, reversed Stirling cycle cryo-cooler: integrated simulation of performance
A.J. Organ 253
- Development of Ag-sheathed Bi(2223) tapes with oriented filaments
G. Grasso, F. Marti, F. Grilli, A.S. Siri and R. Flükiger 267
- Specific heat capacity of Apiezon N high vacuum grease and of Duran borosilicate glass
W. Schnelle, J. Engelhardt and E. Gmelin 271
- Number 4/April**
- Thermodynamic analysis of active valve pulse tube refrigerators
J. Yuan and J.M. Pfothenhauer 283
- Case study on quench evolution and passive protection of high T_c superconducting pancake coil
L.Y. Xiao, T. Kiyoshi, O. Ozaki and H. Wada 293
- Thermal-electrical modeling of absolute cryogenic radiometers
D.A. Pearson and Z.M. Zhang 299
- Explicit expression for critical energy of uncooled superconductors considering transient heat conduction
L. Malinowski 311
- Construction techniques for adiabatic demagnetization refrigerators using ferric ammonium alum
G.W. Wilson and P.T. Timbie 319
- Flow reduction by AC losses for a forced flow superconducting coil with a cable-in-conduit conductor
M. Sugimoto, T. Kato, T. Isono, K. Yoshida and H. Tsuji 323
- Reduction of levitation decay in high T_c superconducting magnetic bearings
Y. Luo, T. Takagi and K. Miya 331
- Thermal stability of superconducting multifilamentary wire with multiply connected stabilizing regions
S. Pradhan and V.R. Romanovskii 339
- Test results of the SMES model coil – pulse performance
T. Hamajima, M. Shimada, M. Ono, H. Takigami, S. Hanai, Y. Wachi, Y. Takahashi, K. Matui, T. Ito, T. Isono, H. Tsuji, K. Shinoda, T. Minemura, T. Himeno, I. Takano and T. Satow 351
- Two-phase coexistence analysis of the bellows control mechanism for a J-T cryocooler
S.B. Chien and L.T. Chen 359
- Status of the relativity mission superfluid helium flight dewar
D.C. Read, R.T. Parmley, M.A. Taber, D.J. Frank and D.O. Murray 369
- Cryogenics and the human exploration of Mars
L.J. Salerno and P. Kittel 381
- Vapor-liquid interfacial dynamics and related liquid nitrogen boiling on perforated plates
B. Miller, B. Merriman, K. Rafique, S. Osher, N. Noushkan, A. Spletzer and T.H.K. Frederking 389
- Performance of the XRS/ASTRO-E engineering model ADR
A.T. Serlemitsos, M. SanSebastian, E.S. Kunes and J. Behr 399
- Mechanical properties of solid neon and structural modeling of the XRS solid neon dewar
P.J. Shirron, M.J. DiPirro, S.M. Irish, S.M. Volz, M. Schulze, K. Blount, J. Arvidson, R.E. Dame, E. Cofie and B.A. Thomas 405
- Number 5/May**
- Research of pulse tube refrigerator with high and low temperature double-inlet
Y. Luwei, Z. Yuan and L. Jingtao 417
- Temperature measurement in pulse tube with Rayleigh scattering and computation of enthalpy flow
Y. Hagiwara, K. Nara, S. Ito and T. Saito 425
- Numerical prediction of superconducting critical current density of Bi-2212 single crystal by heavy ion irradiated with fluxoid dynamics method
K. Takase, K. Demachi and K. Miya 435
- Calculation of the critical current in pancake-coiled long length Bi-2223/Ag tapes in non-uniform local magnetic fields perpendicular to the grain alignment axis
F. Darmann, R. Zhao, G. McCaughey, M. Apperley and T.P. Beales 445
- Stress/strain dependence of critical current in Cu-Ag externally reinforced Ag-Zr/Bi-2212 superconducting tapes
K. Katagiri, K. Kasaba, Y. Shoji, M. Ishizaki, K. Watanabe, K. Noto and M. Hiraoka 453
- A two-stage ³He-⁴He fridge for bolometric photometry
T. Maiani, P. de Bernardis, M. De Petris, S. Granata, S. Masi, A. Orlando, E. Aquilini, P. Cardoni, L. Martinis and F. Scaramuzzi 459
- Harmonic response of textured YBa₂Cu₃O₇ superconductor
S.Y. Ding, F.Y. Lin, P. Zhang, Y. Ge, C. Ren, L. Qiu and X.X. Yan 465
- Investigation of large dynamic range helium II liquid/vapor phase separator for SIRT
A. Nakano, D. Petrac, C. Paine and M. Murakami 471
- Thermal expansion and thermal conductivity of Torlon at low temperatures
G. Ventura, G. Bianchini, E. Gottardi, I. Peroni and A. Peruzzi 481
- A capacitive liquid helium level sensor instrument
D.K. Hilton, J.S. Panek, M.R. Smith and S.W. Van Sciver 485
- Number 6/June**
- Quasi-two-dimensional numerical model for stability simulation of a cable-in-conduit conductor
N. Koizumi, K. Azuma, K. Macfall, K. Matsui, Y. Takahashi and H. Tsuji 495

- Electrical splice resistance measurements and analysis on high purity aluminum
C.M. Rey, W. Tong and M.F. Xu 509
- Analysis of performance of heat exchangers used in practical micro miniature refrigerators
S. Pradeep Narayanan and G. Venkatarathnam 517
- Phase shifting in pulse tube refrigerators
A. Hofmann and H. Pan 529
- Analysis on non-uniform current distribution effects in multistage cable-in-conduit conductors
N. Mitchell 539
- An optimized rotating helium-recondensing system using Roebuck refrigerators
S. Jeong and C. Lee 557
- Number 7/July**
- Crossover from intrinsic to extrinsic pinning for $\text{YBa}_2\text{Cu}_3\text{O}_7$ films
S. Awaji, K. Watanabe and N. Kobayashi 569
- A dilution refrigerator using the pulse tube and GM hybrid cryocooler for neutron scattering
Y. Koike, Y. Morii, T. Igarashi, M. Kubota, Y. Hiresaki and K. Tanida 579
- Heat slug propagation in QUELL. Part I: Experimental setup and 1-fluid GANDALF analysis
R. Zanino and C. Marinucci 585
- Heat slug propagation in QUELL. Part II: 2-fluid MITHRANDIR analysis
R. Zanino and C. Marinucci 595
- Study of film boiling in He II by pressure and temperature oscillation measurements
P. Zhang, M. Murakami, R.Z. Wang and H. Inaba 609
- Vibration reduction of systems subjected to repetitive impulse
C. Minas 617
- Fracture behavior under fatigue loading at room temperature and its influence on critical current of Nb-Ti/Cu composite wire
M. Hojo, N. Iwasaki, F. Sekino, S. Ochiai, S. Sakai and K. Watanabe 627
- Heat transfer in a horizontal channel containing two-phase He II
J. Panek and S.W. Van Sciver 637
- Problems of measurement of the helium boil off rate of tomographic magnets
P. Hanzelka and J. Horký 647
- Number 8/August**
- NIS chip refrigeration
J.P. Pekola, J.M. Kynnäräinen, M.M. Leivo and A.J. Manninen 653
- Sorption coolers development at CEA-SBT
L. Duband and B. Collaudin 659
- Influence of the astrophysical requirements on dilution refrigerator design
A. Sirbi, B. Pouilloux, A. Benoit and J.-M. Lamarre 665
- The confined helium experiment (CHeX). The successful return of the low temperature platform facility (LTPF) to space
M. Larson, D. Pearson, S. Elliott, D. Petrac, U. Israelsson and T. Luchik 671
- The XRS low temperature cryogenic system Ground performance tests results
S. Breon, P. Shirron, R. Boyle, E. Canavan, M. DiPirro, A. Serlemitsos, J. Tuttle and P. Whitehouse 677
- Confinement of helium tides by aerogel
R. Dolesi, M. Bonaldi and S. Vitale 691
- A low-cost space-qualified superfluid helium Dewar
T.N. Fleener 697
- The susceptibility of incoherent detector systems to cryocooler microphonics
R.S. Bhatia, J.J. Bock, P.A.R. Ade, A. Benoit, T.W. Bradshaw, B.P. Crill, M.J. Griffin, I.D. Hepburn, V.V. Hristov, A.E. Lange, P.V. Mason, A.G. Murray, A.H. Orłowska and A.D. Turner 701
- Miniature space pulse tube cryocoolers
E. Tward, C.K. Chan, C. Jaco, J. Godden, J. Chapsky and P. Clancy 717
- Number 9/September**
- Analytical study of the performance of pulse tube refrigerator with symmetry-nozzle
L. Yang, Z. Yuan, L. Jingtao and Z. Wenxiu 723
- Cryogenic small-flaw strength and creep deformation of epoxy resins
S. Usami, H. Ejima, T. Suzuki and K. Asano 729
- Hyperbolic heat conduction in thin-film high T_c superconductors with interface thermal resistance
W.-B. Lor and H.-S. Chu 739
- Analysis of an orifice pulse tube refrigerator using the method of characteristics
M.Y. Xu, Y.L. He and Z.Q. Chen 751
- A model for the current distribution and ac losses in superconducting multi-layer power cables
M. Däumling 759
- Design of superconducting power cables
R. Wesche, A. Anghel, B. Jakob, G. Pasztor, R. Schindler and G. Vécsey 767
- Permanent flow in low and high frequency pulse tube coolers – experimental results
I. Charles, L. Duband and A. Ravex 777
- Performance of a single-stage 4 K pulse tube cooler with neodymium regenerator precooled with a single-stage GM refrigerator
A. von Schneidmesser, G. Thummes and C. Heiden 783
- HTS Bi-2223/Ag tape-based Troxel magnetic system
N.T. Cherpak, A.A. Lavrinovich, T.A. Smirnova, P. Haldar and D. Hazelton 791
- Cryogenic vacuum tight adhesive
O.P. Anashkin, V.E. Keilin and V.M. Patrikeev 795
- Platinum black sinters for heat exchangers at very low temperatures
E.A. Schuberth, E. Dwight Adams and Y. Takano 799
- Number 10/October**
- Thermal contact conductance across filled polyimide films at cryogenic temperatures
L. Zhao and P.E. Phelan 803
- Performance of a counter flow heat exchanger with longitudinal heat conduction through the wall separating the fluid streams from the environment
G. Venkatarathnam and S. Pradeep Narayanan 811

Index

- Compression behavior of glass-cloth/epoxy laminates at cryogenic temperatures
Y. Shindo, H. Tokairin, K. Sanada, K. Horiguchi and H. Kudo 821
- Reduction of alternating magnetic field losses in high- T_c multifilament Bi(2223)/Ag tapes by high resistive barriers
K. Kwasnitza, S. Clerc, R. Flukiger and Y. Huang 829
- Experimental investigation on the onset and damping behavior of the oscillation in a thermoacoustic prime mover
G.B. Chen and T. Jin 843
- Nonideal-gas effect in regenerators
A.T.A.M. de Waele, M.Y. Xu and Y.L. Ju 847
- Intragranular critical current density of superconductor grain in screen-printed Ag-Bi2223 tape
K. Kawano, A. Oota, K. Fukuta, T. Higuchi and H. Fujimoto 853
- Development of a low-dissipation valve for use in a cold-cycle dilution refrigerator
F.K. Miller and J.G. Brisson 859
- A pulse tube refrigerator below 2 K
M.Y. Xu, A.T.A.M. De Waele and Y.L. Ju 865
- Influences of winding pitch on transverse-field loss of multifilamentary wire measured by a simple electromagnetic method with configuration of a double-layer non-inductive sample coil
K. Kajikawa, H. Shiraishi, A. Takenaka, M. Iwakuma and K. Funaki 871
- Measurement of the capacitance-low temperature performance curve of a ceramic capacitor
M. Trainer 887
- Number 11/November**
- "Electromaglev" ("active-maglev") – magnetic levitation of a superconducting disk with a DC field generated by electromagnets. Part 4: theoretical and experimental results on supercurrent distributions in field-cooled YBCO disks
M. Tsuda, H. Lee, S. Noguchi and Y. Iwasa 893
- Thermo-mechanical properties of epoxy GFRPs used in superconducting magnet winding
S. Usami, T. Suzuki, H. Ejima and K. Asano 905
- Magnetocaloric properties of a first-order magnetic transition system ErCo₂
H. Wada, S. Tomokawa and M. Shiga 915
- Heat transfer in electrical insulation of LHC cables cooled with superfluid helium
C. Meuris, B. Baudouy, D. Leroy and B. Szeless 921
- Electrical resistivity and the Néel point of Mn_{100-x}Cr_x thin films
F. Boakye and K.G. Adamu 933
- An evaluation of the inlet flow reduction for a cable in conduit conductor by rapid heating
M. Sugimoto, T. Isono, N. Koizumi, G. Nishijima, K. Matsui, Y. Nimoya, Y. Takahashi and H. Tsuji 939
- Test results of the 100 kWh SMES model coil – AC loss performance
T. Hamajima, S. Hanai, Y. Wachi, M. Kyoto, M. Shimada, M. Ono, K. Shimada, L. Kushida, M. Tezuka, N. Martovetsky, J. Zbasnik, J. Moller, N. Hirano, K. Shinoda, M. Yamamoto, I. Takano, T. Hineno and T. Satow 947
- Current leads in vacuum space of cryogenic systems
P. Hanzelka 955
- Dielectric properties of Stycast 1266 over the 0.07–300 K temperature range
M. Barucci, G. Bianchini, E. Gottardi, I. Peroni and G. Ventura 963
- Corrigendum to "Influence of strand surface condition on interstrand contact resistance and coupling loss in NbTi-wound Rutherford cables" [Journal of Cryogenics, 39 (1999) 197–208]
M.D. Sumption, E.W. Collings, R.M. Scanlan, A. Nijhuis, H.H.J. ten Kate, S.W. Kim, M. Wake and T. Shintomi 967
- Number 12/December**
- Design and performance of the HESSI cryostat
R. Boyle, S. Banks, P. Cleveland and P. Turin 969
- SIRTf cryostat requirements and development
S.M. Volz, R. Schweickart, K. Gause and R. Pederson 975
- A shieldless method for cryogenic cold-vapor supply usage: Theory and practice
V.F. Getmanets, R.S. Mikhalechenko, P.N. Yurchenko, G.G. Zhun and H. Stears 985
- Developments in Turbo Brayton technology for low temperature applications
W.L. Swift, M.V. Zagarola, G.F. Nellis, J.A. McCormick, H. Sixsmith and J.A. Gibbon 989
- A simple and efficient thermal link assembly for cryocoolers
A. Ravex, D. Feger and L. Duband 997
- New methodology and apparatus for accelerated long-life testing of linear-drive cryocoolers
V.V. Eremenko, V.F. Getmanets, A. Ya. Levin, Yu. A. Pokhil, V.A. Popov, H. Stears and T. Davis 1003
- Pulse tube cooler for flight hyperspectral imaging
C.K. Chan, P. Clancy and J. Godden 1007
- Progress on a microgravity dilution refrigerator
P.R. Roach and B.P.M. Helvensteijn 1015
- Cryogenic propellant liquefaction and storage for a precursor to a human Mars mission
P. Mueller and T. Durrant 1021
- The fast alternative cryogenic experiment testbed
A. Nash, P. Shields, R. Abbott, J. Craig and W. Holmes 1029
- The single component superinsulation
V.F. Getmanets, L.G. Goncharenko, R.S. Mikhalechenko, N.P. Pershin, G.G. Zhun and H. Stears 1037
- Heat and mass transfer processes in two phase He II/vapor
S.W. Van Sciver 1039
- Sloshing in microgravity
H.A. Snyder 1047

Author Index

- Abbott, R., 1029
 Adanu, K.G., 933
 Ade, P.A.R., 701
 Amemiya, N., 99
 Anashkin, O.P., 795
 Ando, T., 115
 Anghel, A., 767
 Apperley, M., 445
 Aquilini, E., 459
 Arvidson, J., 405
 Asano, K., 729, 905
 Ashman, C., 179
 Awaji, S., 569
 Ayai, N., 115
 Azuma, K., 495
- Balbeur, H., 167
 Banks, S., 969
 Banno, N., 99
 Barucci, M., 963
 Baudouy, B., 921
 Beales, T.P., 445
 Behr, J., 399
 Benford, D.J., 93
 Benoit, A., 665
 Benoît, A., 701
 Bhatia, R.S., 701
 Bianchini, G., 481, 963
 Blount, K., 405
 Boakye, F., 933
 Bock, J.J., 701
 Boenig, H.J., 225
 Bollinger, W., 149
 Bonaldi, M., 691
 Bourgault, D., 77
 Boyle, R., 677, 969
 Bradshaw, T.W., 701
 Breon, S., 677
 Briet, R., 179
 Brisson, J.G., 859
 Brooks, P., 175
- Canavan, E., 677
 Cardoni, P., 217, 459
 Chan, C.K., 717, 1007
 Chapsky, J., 717
 Charles, I., 777
 Chaud, X., 77
 Chen, G.B., 843
 Chen, L.T., 359
 Chen, Z.Q., 751
 Cherpak, N.T., 791
- Chien, S.B., 359
 Chu, H.-S., 739
 Clancy, P., 717, 1007
 Clerc, S., 829
 Cleveland, P., 969
 Cofie, E., 405
 Collaudin, B., 157, 659
 Collings, E.W., 1, 967
 Craig, J., 1029
 Crill, B.P., 701
 Cucchiaro, A., 167
- Dame, R.E., 405
 Daney, D.E., 225
 Darmann, F., 445
 Däumling, M., 759
 Davis, T., 1003
 de Bernardis, P., 217, 459
 De Petris, M., 459
 de Waele, A.T.A.M., 13, 847, 865
 Demachi, K., 435
 Demaret, D., 167
 Ding, S.Y., 465
 DiPirro, M., 677
 DiPirro, M.J., 405
 Dolesi, R., 691
 Duband, L., 659, 777, 997
 Durrant, T., 1021
 Dwight Adams, E., 799
- Ejima, H., 729, 905
 Elliott, S., 671
 Engelhardt, J., 271
 Eremenko, V.V., 1003
- Feger, D., 997
 Filippov, Yu.P., 59, 69
 Fleener, T.N., 697
 Fleshler, S., 225
 Flükiger, R., 267, 829
 Frank, D.J., 369
 Frederking, T.H.K., 389
 Friedman, A., 53
 Fujimoto, H., 853
 Fukuta, K., 853
 Funaki, K., 871
- Gause, K., 975
 Ge, Y., 465
 Getmanets, V.F., 985, 1003, 1037
- Gibbon, J.A., 989
 Gmelin, E., 271
 Godden, J., 717, 1007
 Goncharenko, L.G., 1037
 Gottardi, E., 481, 963
 Granata, S., 459
 Grasso, G., 267
 Griffin, M.J., 701
 Grilli, F., 267
- Hagiwara, Y., 425
 Haldar, P., 791
 Hamajima, T., 351, 947
 Hanai, S., 351, 947
 Hanzelka, P., 647, 955
 Hayashi, K., 115
 Hazelton, D., 791
 He, Y.L., 751
 Heiden, C., 783
 Helvensteijn, B.P.M., 1015
 Hepburn, I.D., 701
 Higuchi, T., 853
 Hilton, D.K., 485
 Himeno, T., 351, 947
 Hirano, N., 947
 Hiraoka, M., 453
 Hiresaki, Y., 579
 Hofmann, A., 529
 Hojo, M., 627
 Holmes, W., 1029
 Horiguchi, K., 821
 Horký, J., 647
 Hristov, V.V., 701
 Huang, Y., 829
 Huebener, R.P., 235
- Igarashi, T., 579
 Inaba, H., 609
 Irish, S.M., 405
 Ishizaki, M., 453
 Isono, T., 323, 351, 939
 Israelsson, U., 671
 Ito, M., 115
 Ito, S., 425
 Ito, T., 351
 Iwakuma, M., 871
 Iwasa, Y., 893
 Iwasaki, N., 627
- Jaco, C., 717
 Jakob, B., 767
 Jamotton, P., 167

Index

- Jeong, S., 35, 557
 Jewell, C.I., 179
 Jin, T., 843
 Jingtao, L., 417, 723
 Jolly, H., 175
 Jones, B.G., 179
 Joo, J., 107
 Ju, Y.L., 847, 865
 Jung, S.-B., 107
- Kajikawa, K., 871
 Kasaba, K., 453
 Katagiri, K., 453
 Kato, T., 323
 Kawano, K., 853
 Keilin, V.E., 795
 Kim, J.-Y., 107
 Kim, S.W., 967
 Kim, T.S., 107
 Kittel, P., 381
 Kiyoshi, T., 293
 Kobayashi, N., 569
 Koike, Y., 579
 Koizumi, N., 115, 495, 939
 Krempasky, L., 23
 Kubota, M., 579
 Kudo, H., 821
 Kunes, E.S., 399
 Kuriyama, F., 85
 Kushida, L., 947
 Kwasnitza, K., 829
 Kyoto, M., 947
 Kyyräinen, J.M., 653
- Lamarre, J.-M., 665
 Lange, A.E., 701
 Larson, M., 671
 Lavrinovich, A.A., 791
 Lee, C., 557
 Lee, H., 893
 Leivo, M.M., 653
 Lemke, D., 125
 Leroy, D., 921
 Leveque, J., 17
 Levin, A.Ya., 1003
 Lin, F.Y., 465
 Lor, W.-B., 739
 Luchik, T., 671
 Luo, Y., 331
 Luwei, Y., 417
- Macfall, K., 495
 Maiani, T., 459
 Maley, M.P., 225
 Malinowski, L., 311
- Manninen, A.J., 653
 Marinucci, C., 585, 595
 Marti, F., 267
 Martinis, L., 459
 Martovetsky, N., 947
 Masi, S., 217, 459
 Mason, P.V., 701
 Matsui, K., 115, 495, 939
 Matui, K., 351
 McCaughey, G., 445
 McCormick, J.A., 989
 Merriman, B., 389
 Metzger, T., 235
 Meuris, C., 921
 Mikhailchenko, R.S., 985, 1037
 Mikumo, A., 115
 Miller, B., 389
 Miller, F.K., 859
 Minas, C., 617
 Minemura, T., 351
 Mitchell, N., 539
 Miya, K., 331, 435
 Moller, J., 947
 Morii, Y., 579
 Moseley, S.H., 93
 Mossbacher, B., 153
 Mueller, P., 1021
 Murakami, M., 471, 609
 Murray, A.G., 701
 Murray, D.O., 369
- Nah, W., 107
 Nakano, A., 471
 Nara, K., 425
 Nash, A., 1029
 Nellis, G.F., 989
 Nijhuis, A., 1, 967
 Nishijima, G., 939
 Noguchi, S., 893
 Noto, K., 453
 Noushkam, N., 389
 Nunoya, Y., 939
- Ochiai, S., 627
 Okuno, K., 115
 Ono, M., 351, 947
 Oota, A., 853
 Organ, A.J., 253
 Orlando, A., 459
 Orłowska, A.H., 701
 Osher, S., 389
 Ozaki, O., 293
- Paine, C., 471
 Pan, H., 529
- Panek, J., 637
 Panek, J.S., 485
 Parmley, R.T., 369
 Passvogel, T., 157
 Pasztor, G., 767
 Patrikeev, V.M., 795
 Pearson, D., 671
 Pearson, D.A., 299
 Pederson, R., 975
 Pekola, J.P., 653
 Perel, E., 53
 Peroni, I., 481, 963
 Pershin, N.P., 1037
 Peruzzi, A., 481
 Petrac, D., 471, 671
 Pfothhauer, J.M., 283
 Phelan, P.E., 803
 Piacentini, F., 217
 Pokhil, Yu.A., 1003
 Popov, V.A., 1003
 Porcar, L., 77
 Pouilloux, B., 665
 Powers, T., 93
 Pradeep Narayanan, S., 43, 517, 811
 Pradhan, S., 339
- Qiu, L., 465
- Raccanelli, A., 217
 Radebaugh, R., 85
 Rafique, K., 389
 Ravex, A., 777, 997
 Read, D.C., 369
 Ren, C., 465
 Rey, C.M., 509
 Rezzoug, A., 17
 Roach, P.R., 1015
 Romanovskii, V.R., 339
- Saito, T., 425
 Sakai, S., 627
 Salerno, L.J., 381
 Sanada, K., 821
 SanSebastian, M., 399
 Sarri, G., 179
 Sato, K., 115
 Satow, T., 351, 947
 Scanlan, R.M., 1, 967
 Scaramuzzi, F., 217, 459
 Schindler, R., 767
 Schmidt, C., 23
 Schnelle, W., 271
 Schuberth, E.A., 799
 Schulze, M., 405

- Schupp, J., 153
 Schweickart, R., 975
 Seidel, A., 135, 153
 Sekino, F., 627
 Serlemitsos, A., 677
 Serlemitsos, A.T., 399
 Shaked, N., 53
 Shields, P., 1029
 Shiga, M., 915
 Shimada, K., 947
 Shimada, M., 351, 947
 Shindo, Y., 821
 Shinoda, K., 351, 947
 Shintomi, T., 967
 Shiraishi, H., 871
 Shirron, P., 677
 Shirron, P.J., 405
 Shoji, Y., 453
 Sinvani, M., 53
 Sirbi, A., 665
 Siri, A.S., 267
 Sixsmith, H., 989
 Smirnova, T.A., 791
 Smith, M.R., 485
 Snyder, H.A., 1047
 Spletzer, A., 389
 Stears, H., 985, 1003, 1037
 Sugimoto, M., 115, 323, 939
 Sumption, M.D., 1, 967
 Suzuki, T., 729, 905
 Swift, W.L., 989
 Szeless, B., 921

 Taber, M.A., 369
 Takagi, T., 331
 Takahashi, K., 115

 Takahashi, Y., 351, 495, 939
 Takano, I., 351, 947
 Takano, Y., 799
 Takase, K., 435
 Takenaka, A., 871
 Takigami, H., 351
 Tanida, K., 579
 ten Kate, H.H.J., 1, 967
 Tezuka, M., 947
 Thomas, B.A., 405
 Thumm, G., 783
 Timbie, P.T., 319
 Tixador, P., 77
 Tokairin, H., 821
 Tomekawa, S., 915
 Tong, W., 509
 Tournier, R., 77
 Trainer, M., 887
 Tsuda, M., 893
 Tsuji, H., 115, 323, 351, 495, 939
 Turin, P., 969
 Turner, A.D., 701
 Tuttle, J., 677
 Tward, E., 717

 Usami, S., 729, 905


 Van Sciver, S.W., 485, 637, 1046
 Vécsey, G., 767
 Venkatarathnam, G., 43, 517, 811
 Ventura, G., 481, 963
 Vitale, S., 691
 Volz, S.M., 405, 975
 von Schneidemesser, A., 783

 Wachi, Y., 351, 947
 Wada, H., 293, 915
 Wake, M., 967
 Wang, R.Z., 609
 Watanabe, K., 453, 569, 627
 Wenxiu, Z., 723
 Wesche, R., 767
 Whitehouse, P., 677
 Wilkinson, R.M., 179
 Wilson, G.W., 319
 Wolfus, Y., 53

 Xiao, L.Y., 293
 Xu, M.F., 509
 Xu, M.Y., 751, 847, 865

 Yamada, Y., 115
 Yamamoto, M., 947
 Yang, L., 723
 Yau, X.X., 465
 Yeshurun, Y., 53
 Yoshida, K., 323
 Yuan, J., 283
 Yuan, Z., 417, 723
 Yurchenko, P.N., 985

 Zagarola, M.V., 989
 Zanino, R., 585, 595
 Zbasnik, J., 947
 Zhang, P., 465, 609
 Zhang, Z.M., 299
 Zhao, L., 803
 Zhao, R., 445
 Zhun, G.G., 985, 1037
 Zrubec V., 241



Keyword

- ³He systems (E), 459
³He-⁴He mixtures (B), 1015
³He (B), 459
³He systems, 659
 50 Hz ac losses, 829
- A pulse tube and GM hybrid cryocooler, 579
 A. high T_c superconductors, 77
 AC loss, 1
 AC losses (C), 225, 323
 AC losses, 351, 947
 AC losses (C), 871
 accelerator magnets (F), 69
 AC-losses, 23
 active valve pulse tube refrigerator, 283
 adiabatic demagnetization, 399, 677
 adiabatic demagnetization refrigerator, 319
 adsorbents, 691, 969
 Ag-Zr sheath, 453
- B. argon, 77
 bean model, 331
 bending strength, 107
 bleeding, 557
 borosilicate glass, 271
 Brayton cycle (E), 989
 break through, 471
- C. quench, 77
 cable in conduit conductors (A), 595
 cable-in-conduit conductor, 35, 495, 947
 cable-in-conduit conductors, 351
 cable-in-conduit conductors (A), 323, 585, 939
 calorimeters (D), 225, 299
 calorimetry, 271
 ceramic barriers, 829
 ceramics (A), 887
 compact heat exchangers, 43, 517, 811
 composite, 107
 composite conductors (A), 311
 composite superconducting wire, 339
 composite superconductors, 627
- composites (A), 821
 contact pressure, 803
 contact resistance, 1, 35
 convection coefficient, 17
 cool-down, 359
 coupling currents, 23
 coupling loss, 99
 coupling time constant, 99
 creep deformation, 729
 critical current density, 53, 107, 435, 569
 critical current density (C), 267, 453
 critical current modeling, 445
 critical state model, 853
 crossover, 569
 cryo-cooler, 253
 cryocooler, 617, 751, 865
 cryocoolers, 85, 783
 cryoelectronics, 149, 485
 cryogenic mechanisms, 125
 cryogenic refrigeration, 997
 cryogenics, 751, 865
 cryostat, 153, 795
 cryostats, 217, 671, 969, 1029
 cryostats (F), 135, 179, 459, 647, 887, 985, 1037
 Cu-Ag external reinforcement, 453
 current distribution, 759
 current leads, 677, 795
 current leads (F), 955
 cycle optimization, 13
- DC gas flow, 777
 dewar, 697
 dielectric properties (C), 887
 dilution, 157, 701
 dilution (E), 1015
 dilution refrigeration, 665
 double inlet, 529
 drives, 125
- electromagnetic phenomena, 351
 electromagnetic phenomena (C), 871
 electronics, 125
 energy flow rate, 85
 entropy generation minimization, 35
 epoxy, 795
 epoxy resin, 729
- expanders (E), 989
 experimental investigation, 777
 extrinsic pinning, 569
- F. fault current limiter, 77
 fatigue loading, 627
 ferromagnetic shield, 791
 finite differencing, 495
 FIRST, 153
 first-order phase transition, 915
 five valve and thermodynamic model, 283
 flow meters (D), 647, 939
 flow visualization (D), 59
 fluid dynamics, 691
 fluid dynamics (c), 1047
 fluxoid dynamics method, 435
 forced flow, 351, 947
 forced flow (C), 323, 939
 fracture toughness, 107
 fusion magnets (F), 585, 595, 821
- GFRP, 905
 Gifford-McMahon cryo-refrigerator, 617
 GM refrigerator, 783
 Gravity Probe-B, 369
- hall probe, 445
 harmonics, 465
 He I (B), 59, 69
 He II, 637
 HeII systems, 153
 He II system, 975
 He II systems, 671
 heat exchanger, 799
 heat exchangers, 389
 heat leak, 43
 heat radiation (C), 955
 heat transfer, 167, 389, 637, 921, 955, 997, 1039
 heat transfer (B), 311
 heat transfer (C), 69, 299, 425, 585, 595, 739, 1021
 heavy ion irradiation, 435
 helium, 697
 helium three, 865
 high effectiveness, 43, 517, 811
 high purity aluminum, 509
 high T_c superconductor, 435

- high T_c superconductor (A), 453
 high T_c superconductors, 677
 high T_c superconductors, 53
 high T_c superconductors (A), 225, 267, 739
 high T_c superconducting coil, 293
 high- T_c superconductors, 829
 high- T_c superconductors (A), 767
 high uniformity magnetic field, 791
 high vacuum grease, 271
 history effect, 853
 HTS Bi-2223/Ag tape, 791
 HTS tape, 99
 HTSC magnetic bearings, 331
 hybrid GM pulse tube refrigerator, 783
 hydrogen (B), 381
 hysteresis, 471
 hysteresis hardening effect, 331
 hysteretic loop, 843
 hysteresis loss, 99
- impregnating resin, 905
 inertance tube, 529
 infra-red detectors, 167
 infrared detectors, 175, 701
 infrared radiation, 125
 instrumentation, 217, 485, 795, 1029
 instrumentation (D), 59, 299, 887
 intergranular current, 853
 intragranular current, 853
 intrinsic pinning, 569
 isothermal compression, 557
 ITER, 115
- joint, 509
 joints, 175
 Joule Thomson coolers, 157, 701
 Joule-Thomson cryocooler, 359
 JT coolers, 517
- Kapton, 93
- level detection, 485
 levitation properties, 331
 liquid helium, 167
 liquid helium temperature, 783
- liquid-He-free dilution refrigerator, 579
 liquid-vapor phase separator, 471
 location of disturbance, 339
 longitudinal conduction, 517
 longitudinal heat conduction, 43, 811
 low cost, 697
 low temperature experiments, 799
- magnetic entropy, 915
 magnetic field, 445
 magnetic measurements (D), 871
 magnetic moment, 933
 magnetic refrigeration, 677
 magnetocaloric effect, 915
 mass flow rate, 85
 measurement of parameters of HT $_c$ superconductive materials, 241
 mechanical properties, 453, 975
 mechanical properties (C), 821, 1003
 methane (B), 381, 1021
 method of characteristics, 751
 microcooler, 653
 Monte-Carlo, 17
 MRI magnets (F), 647
 multi-double-inlet, 417
 multifilament tapes (A), 453
 multifilament wires (A), 871
 multifilament wires and tapes (A), 267
 multiple necking, 627
 multiply connected stabilizing regions, 339
- Nb $_3$ Al, 115
 Nb $_3$ Sn, 1
 Nb-Ti, 627
 neon, 1029
 neutron scattering, 579
 noisy film boiling, 609
- optical techniques, 149
 optical techniques (D), 299
 orifice, 723
 oxygen (B), 381, 1021
- pancake fluxoid model, 435
 pancakes, 445
- Peltier cooling, 235
 phase difference, 417
 phase shifter, 529
 pinning force, 435
 platinum powder, 799
 polyimide film, 93
 polymers, 481, 795
 porous plug, 471
 power applications, 53
 power cable, 759
 pressure oscillation, 609
 pressure waves, 417
 prime mover, 843
 protection, 293
 pulse tube, 283, 717, 777
 pulse tube (E), 425
 pulse tube refrigeration, 751, 865
 pulse tube refrigerator, 417, 529, 795, 1029
 pulse tubes, 13, 847
 pulse-tube refrigerators, 85
 pump (D), 323
- quench (B), 311
 quench (C), 939
 quench evolution, 293
- rare earth regenerator, 783
 recondensing, 557
 refrigeration, 723, 751, 865
 refrigeration power, 85
 refrigerators, 399
 regenerator, 253
 regenerators, 13, 847
 relaxations, 331
 repetitive impulse, 617
 resistivity, 933
 Roebuck refrigerator, 557
 Rutherford cable, 1
- salt pill, 319
 screen-printed Ag-Bi2223 tape, 853
 self-regulating, 359
 shielding current, 331
 SIRTf, 697
 small-flaw strength, 729
 SMES, 53, 351, 947
 solid cryogenics, 405
 sorption coolers, 157, 659
 space cryogenic (F), 985
 space cryogenics, 149, 153, 157, 167, 175, 217, 369, 389,

- 399, 405, 659, 665, 671, 677,
691, 701, 717, 969, 975, 997,
1029
- space cryogenics (E), 1003
- space cryogenics (F), 135, 179,
381, 989, 1015, 1021, 1037
- space cryogenics (f), 1047
- spin fluctuation, 933
- splice resistance, 509
- SQUID NDE, 241
- SQUID susceptometer, 241
- stability, 23, 495
- stability (B), 311
- stainless steel core, 1
- stirling, 701, 969, 1003
- stirling (E), 179
- stirling cycle simulation, 253
- stirling cycle, 253
- stress effects, 453
- stress relaxation, 905
- structural materials (A), 985,
1037
- structural supports, 969
- subcooled and saturated state,
609
- superconducting cables, 921
- superconducting cables (A),
225, 585, 595, 767
- superconducting magnet, 729
- superconducting magnet
winding, 905
- superconducting magnets, 23,
677
- superconducting magnets (F),
821
- superconducting rotor, 557
- superconductivity, 653
- superconductor, 465, 759
- superconductors (A), 311
- superconductors stability, 17
- supercritical helium (B), 323,
585, 595, 939
- supercurrents, 23
- superfluid, 697
- superfluid helium, 157, 921
- superfluid helium (b), 1047
- superfluid helium (He II), 609,
691, 975, 1029, 1039
- superfluid helium (HeII) (B),
135
- superfluid helium dewar, 369
- symmetry nozzle, 723
- temperature oscillation, 609
- temperature sensors, 1029
- temperature sensors (D), 299
- thermal conductivity, 93, 175,
481
- thermal conductivity (C), 985,
1021, 1037
- thermal contact conductance,
803
- thermal contraction, 905
- thermal expansion, 481
- thermal regenerator, 253
- thermal resistance, 803
- thermal shock resistance, 107
- thermal stability, 339
- thermal stress, 729
- thermoacoustics, 843
- thermoacoustic (C), 425
- thermoacoustic model, 529
- thermodynamics, 13, 847
- transient disturbances, 339
- transmission lines (F), 225, 767
- two-phase, 359
- two-phase flow, 389
- two phase flow, 637, 1039
- two-phase flow (c), 1047
- two-phase flow (C), 59, 69
- YBa₂Cu₃O₇, 465
- YBa₂Cu₃O₇ films, 569
- YBCO superconductor, 107